


Functional Group:

Products : Manifolds : Sandwich : Flow Control : ISO 03 : Meter in on A and B

Model:



GBY

Face : 6




Cartridge extension measurement is to the centerline of the cartridge.


Function



Flow Control, Meter-In, A and B



Flow Control, Meter-Out, A and B



Aluminum Body Pressure Rating: **3000 psi (210 bar)**

Ductile Iron Body Pressure Rating: **5000 psi (350 bar)**

Technical Data

	U.S. Units	Metric Units
<b>Model Weight</b>	0.84 lb.	0.38 kg.
<b>Cavity</b>	T-13A	
<b>Body Features</b>	Flow into workports A and B or out of A and B	
<b>Body Type</b>	Sandwich	
<b>Interface</b>	ISO 03	
<b>Open Cavity Quantity</b>	2	
<b>Stack Height</b>	1.75 in.	44,5 mm

Option Selection:

Model Code	Description
GBY	Aluminum, Buna-N, U.S. Units
GBY/S	Ductile Iron, Buna-N, U.S. Units
GBY/V	Aluminum, Viton, U.S. Units
GBY/Y	Ductile Iron, Viton, U.S. Units

Special Notes :


No Special Notes available for selected Model.



Functional Group:  
Products : Manifolds : Sandwich : Flow Control : ISO 03 : Meter in on A and B

Model:  
GBY


Face : 2



Cartridge extension measurement is to the centerline of the cartridge.




Face : 5



Cartridge extension measurement is to the centerline of the cartridge.




Face : 7



Cartridge extension measurement is to the centerline of the cartridge.



Face : 10



Cartridge extension measurement is to the centerline of the cartridge.




Functional Group:


Products : Manifolds : Sandwich : Flow Control : ISO  
03 : Meter in on A and B

Model:  
GBY

Projection Type

All Dimensions in Inches(mm)





Copyright © 2007-2008 Sun Hydraulics Corporation.  
All rights reserved.

[Terms and Conditions](#) - [Statement of Privacy](#)