


Male Elbow N2501


INCH OD Tubes x Male NPT Thread



Part No.	T Tube OD	P NPT Male	A	B	C	D	E min.	F A/F	G A/F	Hx	Hy
N2501-01-01	1/16	1/16	19.0	9.6	10.9	8.6	1.3	11	11	15.3	17.8
N2501-01-02	1/16	1/8	19.0	9.6	10.9	8.6	1.3	11	11	15.3	17.8
N2501-02-02	1/8	1/8	23.6	9.6	15.3	12.7	2.4	11	11	17.0	17.8
N2501-02-04	1/8	1/4	24.6	14.3	15.3	12.7	2.4	14	11	18.0	23.4
N2501-04-02	1/4	1/8	26.9	9.6	17.8	5.3	4.8	14	14	19.6	18.8
N2501-04-04	1/4	1/4	26.9	14.3	17.8	15.3	4.8	14	14	19.6	23.4
N2501-04-06	1/4	3/8	29.7	14.3	17.8	15.3	4.8	17	14	22.4	26.2
N2501-04-08	1/4	1/2	31.8	19.1	17.8	15.3	4.8	22	14	24.4	33.0
N2501-05-04	5/16	1/4	28.7	9.6	18.5	16.3	6.3	14	16	21.3	24.4
N2501-06-02	3/8	1/8	30.5	9.6	19.3	16.8	4.8	14	17	23.1	20.9
N2501-06-04	3/8	1/4	30.5	14.3	19.3	16.8	7.1	17	17	23.1	25.4
N2501-06-06	3/8	3/8	31.2	14.3	19.3	16.8	7.1	17	17	23.9	26.2
N2501-06-08	3/8	1/2	33.3	19.1	19.3	16.8	7.1	22	17	25.9	33.0
N2501-08-04	1/2	1/4	36.0	14.3	21.8	22.9	4.8	22	22	25.9	28.2
N2501-08-06	1/2	3/8	36.0	14.3	21.8	22.9	9.6	22	22	25.9	28.2
N2501-08-08	1/2	1/2	36.0	19.1	21.8	22.9	10.4	22	22	25.9	33.0
N2501-08-12	1/2	3/4	39.9	19.1	21.8	22.9	10.4	27	22	29.7	36.8
N2501-10-08	5/8	1/2	38.1	19.1	21.8	24.4	11.9	24	25	27.9	35.0
N2501-12-08	3/4	1/2	39.9	19.1	21.8	24.4	11.9	27	28.5	29.7	36.8
N2501-12-12	3/4	3/4	39.9	19.1	21.8	24.4	15.8	27	28.5	29.7	36.8
N2501-14-12	7/8	3/4	44.7	19.1	21.8	25.9	15.8	35	32	34.5	41.6
N2501-16-12	1	3/4	49.0	19.1	26.4	31.2	15.8	35	38	36.8	41.6
N2501-16-16	1	1	49.0	23.8	26.4	31.2	22.3	35	38	36.8	46.5
N2501-20-20	1-1/4	1-1/4	66.5	23.8	38.8	41.1	27.6	46	50	44.5	47.8
N2501-24-24	1-1/2	1-1/2	78.0	26.2	45.2	50.0	34.0	55	57	50.8	60.4
N2501-32-32	2	2	107.2	26.9	62.7	67.6	46.0	70	76	69.9	70.6

Female Elbow N2502

INCH OD Tubes x Female NPT Threads



Part No.	T Tube OD	P NPT Female	A	B	C	D	E min.	F A/F	G A/F	Hx	Hy
N2502-02-02	1/8	1/8	24.6	10.4	15.3	12.7	2.4	14	11	18.0	19.0
N2502-02-04	1/8	1/4	27.4	15.0	15.3	12.7	2.4	19	11	20.8	22.4
N2502-04-02	1/4	1/8	26.9	10.4	17.8	15.3	4.8	14	14	19.6	19.0
N2502-04-04	1/4	1/4	29.7	15.0	17.8	15.3	4.8	19	14	22.4	22.4
N2502-04-06	1/4	3/8	31.8	15.0	17.8	15.3	4.8	22	14	24.4	22.4
N2502-04-08	1/4	1/2	34.6	19.8	17.8	15.3	4.8	27	14	27.2	28.5
N2502-05-02	5/16	1/8	28.7	10.4	17.8	15.3	6.3	19	14	21.4	19.1
N2502-05-04	5/16	1/4	30.5	15.0	18.5	16.3	6.3	22	16	23.2	22.4
N2502-06-02	3/8	1/8	30.5	10.4	19.3	16.8	7.1	17	17	23.2	19.1
N2502-06-04	3/8	1/4	31.2	15.0	19.3	16.8	7.1	19	17	23.9	22.4
N2502-06-06	3/8	3/8	33.3	15.0	19.3	16.8	7.1	22	17	25.9	22.4
N2502-06-08	3/8	1/2	36.0	19.8	19.3	16.8	7.1	27	17	28.7	28.5
N2502-08-04	1/2	1/4	36.0	15.0	21.8	22.9	7.1	22	22	25.9	22.4
N2502-08-06	1/2	3/8	36.0	15.0	21.8	22.9	10.4	22	22	25.9	22.4
N2502-08-08	1/2	1/2	38.9	19.8	21.8	22.9	10.4	27	22	28.7	28.5
N2502-10-06	5/8	3/8	38.1	15.0	21.8	22.9	12.7	24	22	28.0	22.4
N2502-10-08	5/8	1/2	39.9	19.8	21.8	24.4	12.7	27	25	29.7	28.5
N2502-12-08	3/4	1/2	39.9	19.8	21.8	24.4	15.8	27	28.5	29.7	28.5
N2502-12-12	3/4	3/4	44.7	20.6	21.8	24.4	15.8	35	28.5	34.6	31.8
N2502-14-12	7/8	3/4	44.7	20.6	21.8	25.9	18.2	35	32	34.6	31.8
N2502-16-12	1	3/4	49.0	20.6	26.4	31.2	22.3	35	38	36.8	31.8
N2502-16-16	1	1	53.6	25.4	26.4	31.2	22.3	41	38	41.4	38.1