



MODEL YGJ Cross pilot with shuttle

CAVITY: T-11A







TECHNICAL DATA

Body Type	Line mount
Interface	None
Body Features	Cross pilot with shuttle
Mounting Hole Diameter	.34 in.
Mounting Hole Depth	Through
Mounting Hole Quantity	2
Open Cavities	2
Cavity	T-11A
Port Size	SAE 8
Model Weight	1.11 lb.

NOTES

Important: Carefully consider the maximum system pressure. The pressure rating of the manifold is dependent on the manifold material, with the port type/size a secondary consideration. Manifolds constructed of aluminum are not rated for pressures higher than 3000 psi (210 bar), regardless of the port type/size specified.

PORT DESIGNATORS

Modifiers	Ports
YGJ	Ports C1, C2, V1, V2: SAE 8; Port S: SAE 4;

INCLUDED COMPONENTS

Part	Description	Quantity
260-010	Seat	1
800-001-070	Ball	1

CONFIGURATION OPTIONS Model Code Example: YGJ

MODIFIER

6061-T651 Aluminum, Buna-N	
/S 65-45-12 Ductile Iron, Buna-N, Blackened	


MANIFOLD FACES


FACE GRID

1 2 3 4

© 2019 Sun Hydraulics








© 2019 Sun Hydraulics 2 of 4

Face 6



© 2019 Sun Hydraulics 3 of 4

